

# Software Testing and Validation

A.A. 2025/2026  
Corso di Laurea in Informatica

## Testing Preliminaries

Igor Melatti

Università degli Studi dell'Aquila

Dipartimento di Ingegneria e Scienze dell'Informazione e Matematica



# From Formal Verification to Testing

- Main analogies: both formal verification and testing are about checking some properties of a system
  - easiest property: does the system output the correct answer for any given input?
  - other properties: does it deadlock? does it run within given deadlines?
- Main difference: formal verification requires a formal *model* of the system and a specification of the properties in some temporal logic
  - in some cases, the model can be automatically built (e.g., for hardware verification or bounded software verification)
- Testing requires the current version (for part) of the *actual* software
  - as for the property, no need that any temporal logic is used, though it may help
  - a simulator may be used for some physical components

# From Formal Verification to Testing

- Testing requires the current version (for part) of the *actual* software
  - i.e., do not modify the code before testing, unless those changes are kept in the final code
  - i.e., if you modify the software, test it, and then say that the original software is ok, then many (additional) correctness problems may arise
  - in the following, it may be the case that the software is modified: all modifications are meant to be kept
    - possible modifications: to add assertions, or to expose possible errors (see sensitivity discussion below)
    - possible exception: code instrumentation
    - possible exception: if there are performance issues, then it must be carefully discussed



# From Formal Verification to Testing

- Thus, testing is typically applied *late* in the design process
  - you need actual software, which is typically developed after architectural design and so on
  - at least for complex software projects
- However, if the software design process is well organized, testing may also be applied much early
  - e.g.: some components may be fully developed before others
  - as soon as they are developed, they may be tested
  - this is actually what it should be *always* done
  - the technique allowing this is called *scaffolding*



# From Formal Verification to Testing

- So, no models in testing? NO!
  - you may not have a model of the system itself, but models however play an important role
  - in some cases, also a model of the system is available, why not to use it?
- Models in testing are typically used:
  - to generate inputs
  - to guide in generating inputs
  - to understand if a testing phase is “adequate” or not
- What about algorithms?
  - no “real” algorithms are used in testing
  - forget  $\mu$ -calculus or nested DFS or so on
  - though, as we will see, some algorithms may be helpful, exactly as for the models




UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA




DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# From Model Checking...



## An approximate answer BUG HUNTING: Testing + Simulation



# Basic Notions on Testing

- No need of complex algorithms as in model checking: simply
  - 1 choose what to test
    - SUV: System under Verification
  - 2 devise some relevant inputs
  - 3 execute the SUV with such inputs
  - 4 check if the corresponding results are ok or not
- Some automatization may be performed, but mainly a manual work for each of such steps
- Does this mean testing is easy? Obviously, NO!



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Basic Notions on Testing

- Main difficulties for “choose what to test”
  - only the whole system?
    - for cyber-physical systems, a simulator may be used
  - all/some meaningful parts?
  - all/some functionalities?
  - all/some single functions or classes?



# Basic Notions on Testing

- Main difficulties for “devise some relevant inputs”
  - are there some “hidden” inputs?
    - e.g., a global/class member variable, a database or a RESTful querying system
  - which are the input variables domains?
  - which values have to be selected?
    - variable domains may be extremely large (integers) or close to infinite (floats, strings)
    - sometimes, also go outside variables domains
  - once values are selected, may we understand which share of the input space got covered?
  - all inputs at the beginning, or must be fed with some timing?



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Basic Notions on Testing

- Main difficulties for “execute the SUV with such inputs”
  - whole system: sometimes easy, sometimes hard
    - a simple Web interface and a submit button: easy
    - sequence of commands in CLI
    - only invokable by some mouse clicks sequence (hidden functionality)
    - many library requirements
    - ...
  - only some part(s): must be extracted in some way for execution
    - all dependencies must be resolved
  - all inputs at the beginning, or must be fed with some timing?

# Basic Notions on Testing

- Main difficulties for “check if the corresponding results are ok or not”
  - in many cases (usually, not for the whole system...), the result isn't easy to extract
    - it may be in some global variable, needs some extra code to output its value after the function call
    - or in a private class member without a getter: the getter must be added (or the private removed)
    - the result may be put in some file/database/socket
  - but also after we got the result: how to know if it is correct? isn't it a circular reasoning?
  - if we simply want to detect failures, it may be needed to modify the code to expose them
    - segmentation faults for C/C++ code...
  - check for software usability: what is “ok” is **not well defined**...



# Basic Notions on Testing

- No general tool is available for none of the problems above
  - some subparts may be automatized for many interesting cases, but not for all cases
- Testing must be integrated within software process
  - only testing at the end of the developing phase is bad
- Running tests has a cost: consider project budget and release deadlines
  - may force to only check the whole system with very limited time



# Basic Notions on Testing

- Model Checking is only performed for mission- or safety-critical systems with medium-high budget
- Testing is *always* performed on *any* software
  - from cli-based computer-science-first-year projects to airport management system
- Even more: any released version of a software must be tested
  - otherwise, CrowdStrike-like problems
  - easy to underestimate the effect of a modification on a working software
  - Regression Testing



# Basic Notions on Testing

- Testing all features is typically impossible for complex projects
- For simpler projects, all features may be tested, but not at 100% coverage
  - actually, also 1% testing coverage is often too difficult to obtain
  - even if there are some particular measures for which 100% coverage may be achieved
- Priorities must be defined
  - more risky and defect-likely parts of the software must be checked first
  - strictly followed by the parts which are executed more often
  - 80/20 rule: 80% of any daily business activity is provided by 20% of the business system functions, transactions, or workflow



# Basic Notions on Testing

- Some authors distinguish between *positive* vs *negative* testing
  - positive testing: check that the software behaves as it should under “normal” conditions
  - negative testing: check that users cannot “break” the system
    - both if they are malicious: denial of service and similar issues
    - and if they are not: including apex by accident in a non-sanitized search...
- We will consider both these types of testing without further distinction



# Basic Notions on Testing

- Software related figures:
  - architects: general software “structure”
  - developers: write (and fix!) code
  - testers: plan, prepare and execute tests; furthermore, interpret test results
- For not-too-big projects, some or all of these figures could coincide
- For complex projects, testers should be separated from developers and/or architects
  - though they must know the corresponding skills
  - not influenced by having devised and/or implemented the system
  - the same programmer could be a developer in a project and a tester in another



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Basic Notions on Testing

- Skills of a software engineer specialized in testing: matches the steps from above
  - choose what to test
  - devise some relevant inputs
  - execute the SUV with such inputs
  - check if the corresponding results are ok or not
- All keeping into account budget (i.e., number of testing engineers) and deadlines (i.e., time available for testing)
- In a testing team, such capabilities could be properly mixed





# Testing Timeline

- Let us consider complex projects: the following types of testing can be performed
  - 1** *unit testing*: test simple functions/classes/processes first
  - 2** *integration testing*: put some meaningful subsets of functions/classes/processes together and test them
  - 3** *system testing*: test the whole system
    - last step of integration...
  - 4** *acceptance testing (validation)*: test the whole system with the final users
  - 5** *regression testing*: how to re-test the system when new releases are issued
    - code (and possibly specifications) is modified



# Testing Timeline



# Testing Timeline

- Some of these steps may be deleted
  - for cli-based computer-science-first-year projects, unit testing coincide with system testing
  - for medium-size projects, integration testing and system testing may coincide
  - for a library, system testing may not exist
  - for a personal software, validation is straightforward as developers and final users coincide
- Not necessarily in cascade
  - errors discovered in later steps typically cause earlier steps to be re-run
  - sometimes not only re-running, but also devising new inputs could be required
- If errors are discovered, developers have to fix them; then, re-run testing



# Testing Timeline

- It is easy to understand why you need regression testing
- Why not directly acceptance testing?
  - going to the final user with a non-working project is obviously a bad idea
  - without testing, your software may simply don't run at all
- Why not directly system testing?
  - same as asking "why do you use software engineering techniques to write complex software?"
  - testing is bottom-up (from units to system) because:
    - it is far easier for developers to understand where errors are
    - allows reusability of units



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Testing Main Techniques

- Two main overall methodologies:
  - *functional testing*: tester knows specs but not the code
    - also known as *black-box testing*
  - *structural testing*: tester exploits code knowledge
    - also known as *white-box testing* and *glass-box testing*
    - includes *data-flow testing*
- Two other methodologies
  - *static testing*: code may not exist, look at documentation only
    - mainly done through model checking
    - but also prototyping may be used
  - *performance testing*: needs actual code
- Applicable to all types of testing, from unit to acceptance



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Testing Main Techniques

- Orthogonal and/or auxiliary techniques:
  - *combinatorial testing*
    - given some values for single inputs, obtain a full input
  - *model-based testing*
    - extract inputs from models of software
    - special case: *fault-based testing*
  - *test execution*: not always straightforward
- Applicable to nearly all testing of the previous slide



# Basic Notions on Testing

- Testing is not only for software: nearly all products must be tested before being sold
  - i.e., stressed in a controlled environment
- Typically, the testing phase is standardized for a given product
  - always repeated for some randomly chosen instance of the product
  - e.g., take a smartphone from a selling pack and drop it from 10m
- For products which are not built in series, testing must be individual
  - race cars, houses, etc.
- Of course, some guidelines may be available
  - e.g., testing of houses in a seismic environment

# Basic Notions on Software Testing

- Software is among the most difficult things to be checked
  - it is virtually always “customized”, thus each software needs its own testing phase
- There are guidelines, some of which will be covered in this course
- Some difficulties:
  - only errors presence can be proved
  - cost
    - it is easy to make some simple tests
    - it may be enough for very-non-critical software
    - for most software, a tradeoff is needed between testing cost and software criticality



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Basic Notions on Software Testing

- Some difficulties (continued):

- non-linearity
  - if you successfully test an elevator to be able to carry 1000 kg, then it will be ok with 900 kg or less
  - if you successfully test a sorting procedure with 1000 elements, it may fail with 2 elements
  - if you make a small modification to a pair of glasses, you do not need to run full design test from scratch
  - if you make a small modification to a software (e.g., a security update), it may cause some failure in other previously tested parts of the software
  - recall the CrowdStrike vulnerability...



# Six Principles for Testing (and Verification)

- The following principles characterize the Testing and Validation as an activity of its own:
  - partition, visibility, feedback
    - nothing new: also other engineering activities may use this
  - sensitivity, redundancy, restriction
    - specific for testing and validation



# Six Principles for Testing (and Verification)

## • *Sensitivity*

- problem: many errors may not be “observable”
- e.g., a buffer overflow in C/C++ may or may not cause a failure in the running process
- sensitivity asks that errors or faults in the software always result in observable failures
- especially hits in code design/implementation: add assertions or similar code fragments
  - or use languages with dynamic checks such that Java, Python or Rust
- as for verification, model checking is actually more suited for sensitivity
- also manual code inspection may be used



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Sensitivity Example

```
1  /**
2  * Worse than broken: Are you feeling lucky?
3  */
4
5  #include <assert.h>
6
7  char before[] = "=Before=";
8  char middle[] = "Middle";
9  char after[] = "=After=";
10
11 void show() {
12     printf("%s\n%s\n%s\n", before, middle, after);
13 }
14
15 void stringCopy(char *target, const char *source, int howBig);
16
17 int main(int argc, char *argv) {
18     show();
19     strcpy(middle, "Muddled"); /* Fault, but may not fail */
20     show();
21     strcpy(middle, "Muddled", sizeof(middle)); /* Fault, may not fail */
22     show();
23     stringCopy(middle, "Muddled", sizeof(middle)); /* Guaranteed to fail */
24     show();
25 }
26
27 /* Sensitive version of strcpy; can be counted on to fail
28 * in an observable way EVERY time the source is too large
29 * for the target, unlike the standard strcpy or strncpy.
30 */
31 void stringCopy(char *target, const char *source, int howBig) {
32     assert(strlen(source) < howBig);
33     strcpy(target, source);
34 }
```



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Six Principles for Testing (and Verification)

## • *Redundancy*

- in a broad sense: having some behavior that depend on something other
- you declare an ‘intent’, so we can test if the intent is fulfilled
- typed languages are a type of redundancy by intent
  - e.g., you declare something to be integer and you can raise an error if instead there is a float
- as for actual testing: check if an implementation is ok w.r.t. its specification is actually a type of redundancy
- specifications should be written so as to ease automatic testing or manual inspection



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Six Principles for Testing (and Verification)

- *Restriction*

- your desired property is too difficult to attain?
- restrict it, i.e., try with something easier
  - but however meaningful
- e.g.: too difficult to check that a variable is always initialized, then check if there exist the possibility that it may be uninitialized



# Restriction Example

```
1  /** A trivial method with a potentially uninitialized variable.
2   * Maybe someCondition(0) is always true, and therefore k is
3   * always initialized before use ... but it's impossible, in
4   * general, to know for sure. Java rejects the method.
5   */
6  static void questionable() {
7      int k;
8      for (int i=0; i < 10; ++i) {
9          if (someCondition(i)) {
10              k = 0;
11          } else {
12              k += i;
13          }
14      }
15      System.out.println(k);
16  }
17 }
```

# Six Principles for Testing (and Verification)

## • *Partition*

- divide and conquer (divide et impera)
- decompose the problem to be tested
- the very fact that many different testing techniques exists, and may be employed on the same software, it is a matter of partition
  - unit testing, functional testing, structural testing...
- also making a model of the system is a partitioning technique
  - from “does this software satisfy my property?” ...
  - to “does this model satisfy my property?” and “does this model faithfully represent the software?”



# Six Principles for Testing (and Verification)

- *Visibility*

- very similar to sensitivity, but with focus on input rather than output
- again, mainly a design issue to ease testing
- typical example: base program information on textual files rather than binary files
  - low performance degradation, but much better readability and capability of testing
  - e.g., HTTP exchange information as text
  - e.g., Unix-based OSs use text files for configuration


- *Feedback*

- learn to build better testing phase from previous testing phase




# Software Process

- Not “process” in the sense of operating systems: “software process” is the whole set of activities needed to develop a high-quality software for some specific problem
  - software process contains: requirement analysis and specification, software design, implementation, validation and verification
  - organized in many ways
- Testing (and verification in general) cannot be simply done at the end




# Software Process

- Not “process” in the sense of operating systems: “software process” is the whole set of activities needed to develop a high-quality software for some specific problem
  - software process contains: requirement analysis and specification, software design, implementation, validation and verification
  - organized in many ways
- Testing (and verification in general) cannot be simply done at the end



# Software Process

- Not “process” in the sense of operating systems: “software process” is the whole set of activities needed to develop a high-quality software for some specific problem
  - software process contains: requirement analysis and specification, software design, implementation, validation and verification
  - organized in many ways
- Testing (and verification in general) cannot be simply done at the end




UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Software Process

- Not “process” in the sense of operating systems: “software process” is the whole set of activities needed to develop a high-quality software for some specific problem
  - software process contains: requirement analysis and specification, software design, implementation, validation and verification
  - organized in many ways
- Testing (and verification in general) cannot be simply done at the end



# Software Process: Testing

**Completeness** important class of faults are suitably targeted

- “important” depends on what you are building
- e.g., if C/C++ is used, beware of memory leaks

**Timeliness** discover errors as soon as possible

- error in coding revealed at unit testing OK
- error in coding revealed at system integration BAD
- error in coding discovered by final user VERY BAD
- error in the system specifications discovered in system acceptance test CATASTROPHE

**Cost effectiveness** achieve completeness and timeliness within budget

- on the whole process: do not repeat **heavy tasks** because of errors



UNIVERSITÀ  
DEGLI STUDI  
DI PADOVA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Software Quality Through Testing

- Process visibility: progress must be easily detectable
- This entails that quality goals must be clearly stated and refined
- Goals are measured on software product qualities, which may be:
  - *internal*: only visible to the software developers and designers
    - e.g.: maintainability, reusability, traceability
  - *external*: also visible to final users
    - e.g.: throughput, latency, usability
    - summing up, either dependability or usefulness goals
    - dependability: does it have (functional) faults?
    - usefulness: provided it is dependable, does it have other (typically non-functional) faults?
    - e.g.: bad user interface, software is too slow, etc



# Software Dependability

- Simplest dependability property: correctness
  - all behaviors of the software are as specified
- Reliability: statistical approximation of correctness
  - if not all behaviors are ok, then at least, e.g., 90% of them are
  - often specified w.r.t. a particular usage profile
  - the same program can be more or less reliable depending on how it is used
  - a possible formal definition: percentage of successful operations in a given period  $\frac{100|S|}{|S|+|F|}$ 
    - $S$  is the set of all operations which succeed in the given period



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione e  
Matematica

# Software Reliability: Other Possible Definitions

- Availability: reliability w.r.t. failures duration is important
  - may be defined as  $100 \frac{u}{u+d}$
  - $u$ : software is up and accepting requests
  - $d$ : software is down and not accepting requests
  - typically,  $u + d = 1$  day, or 1 week
- MTBF: Mean Time Between Failures
  - may be defined as  $\frac{1}{|F|} \sum_{f \in F} |f|$
  - $F$  is the set of all failures in the given period (1 day, 1 week...)
  - for a failure  $f \in F$ ,  $|f|$  is the duration, i.e., time required for fixing  $f$
  - more detailed than availability: e.g., it distinguishes from 30 failures of 1 minute and 1 failure of 30 minutes



# Software Dependability

- Robustness: correct and reliable only within some defined operational limits
  - if there is a failure only because of a 100x load, the system is however robust
- Safety: nothing bad occurs
  - of course, must be defined w.r.t. some property
  - e.g.: there is never more than one process in the critical section
  - broader sense than what we have defined in model checking
  - essentially, it is any property you can specify, so also liveness and neither liveness nor safety



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Terminology

## Program or System Under Verification (SUV)

- could also be a part of a “program”
- could also be a system with many processes

## Test case

A set of inputs, execution conditions, PASS/FAIL criterion

- input is anything the program to be tested can get
  - command-line arguments, files, interrupts, mouse coordinates, sensors...
- execution condition: information on the test execution
  - typically, input timing: whether all input must be provided at the start or not
  - e.g., a sequence of interrupts with given timing
- PASS/FAIL: some way to check
  - e.g.: output must be equal to this expected result



UNIVERSITÀ  
DEGLI STUDI  
DI GENOVA



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Terminology

**Test case specification** A formal or informal description of a test case

- “the input is two words” → a valid test case will be “goodbye all”

**Test suite** a set of test cases

**Test execution** running the test cases on the program

**Test obligation** a property for test case specifications

- e.g., “all words must be 7 letters long”

**Adequacy criteria** some property a test suite must fulfill

- e.g., “all test cases must contain at least 30 inputs”
- could also be seen as a set of test obligations
- namely, the adequacy criterion is satisfied if every test obligation is satisfied by at least one test case in the suite



# Terminology

**Function** Mathematical concept (set of pairs)

**Java Function** Syntactical function in Java language

- works with all other languages, of course

**Unit** Smallest unit of work in the program

- typically (but not always) close to single functions or single classes
- here, “unit of work” roughly refers to:
  - the smallest increment by which a software system grows or changes
  - the smallest unit that appears in a project schedule and budget
  - the smallest unit that may reasonably be associated with a suite of test cases (*unit testing*)



DISIM  
Dipartimento di Ingegneria  
dell'Informazione  
e Matematica

# Terminology

**Independently Testable Feature (ITF)** Some functionality of the program which can be isolated from the other functionalities

- not necessary at code level: here, it is testing level
- e.g., a program or a function may be able to both sort and merge files
- however, sorting and merging may be ITF
- granularity depends on the program: from individual functions, to features of an integrated system composed of many programs
- going through individual classes and libraries
- when detected at unit testing, an ITF is usually a function/method or a class, but **not only unit** testing exists...



UNIVERSITÀ  
DEGLI STUDI  
DELL'AQUILA



DISIM  
Dipartimento di Ingegneria  
e Scienze dell'Informazione  
e Matematica